

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1035	349/149	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:10
L2	1883	345/104	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:11
L3	317	1 and resist\$4 and length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:36
L4	119	2 and resist\$4 and length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:35
L5	113	4 not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:37
L6	2401742	(terminal pad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:34
L7	87267	transparent ADJ (conduct\$3 electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:35
L8	2461	7 same length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:36
L9	540	8 and resist\$4 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:37
L10	514	9 not (3 4 5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:39

L11	213	pixel and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:39
-----	-----	--------------	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(pixel AND driving ADJ circuit AND electrode Adj (pad link) AND long\$3 AND other AND resistance AND difference AND length).CLM.	US-PGPUB	OR	OFF	2005/11/23 17:30